Exam 4 Test Prep

Even		Odd					
1	2	3	4	5	6	7	8
Roll the die	8 times, not	ting each tim	ne it is even,	odd. Make i	t into a freq	uency table.	
a) Using	the theore [.]	tical approa	ch, what <u>sh</u>	<u>ould</u> the pro	bability/fre	quency be?	
		n experimen					
5. What is th	ne empirical	approach?					
4. What is th	ne theoretic	al approach	?				
5. What is a	simple ever	nt? Compour	id event?				
2 What is a	oimanla ayar	x+2 Composit	ad avent?				
2. What is th	ne sample sp	oace?					
1. What is ar	n experimen	nt?					

b) Now for the table

Outcome	Frequency	Relative Frequency
total =		

6. Make a frequency distribution table, including Test Score Intervals, Frequency, and Relative Frequency, from the following data set of 20 quiz scores:


15, 22, 18, 25, 11, 19, 21, 14, 28, 17, 23, 10, 26, 16, 20, 24, 13, 27, 12, 29

Test Score Intervals	Frequency	Relative Frequency

7. What sign do we use for the union of A and B?

8. What sign do we use for the intersection of A and B?

9. How do we write the compliment of A?



15. What is the mean? Median? Mode?
16. The following data represents the number of daily visitors to a small art gallery over a period of 15 days:
42, 35, 48, 55, 38, 42, 51, 40, 35, 48, 45, 42, 50, 39, 48
Mean
Median
Mode
17. What is a population? What is the formula for population mean?
18. What is a sample? What is the formula for sample mean?

19. For each of the following scenarios, determine if the collected data represents a Population or a Sample. Scenario 1: School Play Attendance A local high school is planning its budget. They want to know the average number of students who attend the school play. They count the number of students at all 3 performances held this year. Population or Sample? Population: Sample: Scenario 2: Energy Drink Consumers A large energy drink company wants to determine the average age of its consumers. They survey 1,000 people who purchased their product this week at a major grocery store chain across the country. Population or Sample? Population: Sample: **Scenario 3: Factory Production Time** A factory wants to measure the time it takes to assemble a specific circuit board. They time every single one of the 200 circuit boards assembled during the night shift. Population or Sample?

Population:

Sample:

20. The following data represents the daily commute times (in minutes) for 20 employees at a large company:

12, 18, 20, 24, 26, 30, 31, 35, 36, 39, 40, 42, 45, 48, 51, 53, 55, 59, 60, 64

Task: Construct a grouped frequency table using a class width of 10 and calculate the estimated mean.

Class Limit	Midpoint (x)	Frequency (y)	Product (x·y)
10-19			
20-29			
30-39			
40-49			
50-59			
60-69			
Total			

21. A technician measured the lifespan (in hours) of 5 different light bulbs in a test batch:

12, 10, 15, 11, 12

Task: Calculate the sample standard deviation for this dataset.

22.	Draw and label a bell curve using the empirical rule
	The final scores on a standardized chemistry exam are normally distributed with a mean 75 and a standard deviation of 5.
Par	t A: The Empirical Rule
1. <i>A</i>	Approximately what percentage of students scored between 70 and 80?
2. V	What range of scores includes the middle 95% of all students?
3. V	What percentage of students are expected to score above 85?
Par	t B: Z-Score Calculations
The	e formula for the z-score is:
1. l	f a student scores an 83 on the exam, what is their z-score?
2. I	f a student's z-score is -1.5, what was their actual exam score?
Par	rt C: Relative Performance
1.	Another student took a Physics exam where the scores were normally distributed with a mean of 65 and a standard deviation of 10. If the student scored a 75 on the Chemistry exam (mean 75, std dev 5) and a 75 on the Physics exam, on which test did the student perform better relative to their peers?

24. Use the standard normal distribution (mean = 0 standard deviation = 1\$) to find the required areas. Round your answers to four decimal places.
1. Find the area under the standard normal distribution curve to the right of $z = 1.25$.
2. Find the area between $z = -0.60$ and $z = 1.70$.
3. Find the area to the left of $z = -2.50$ and to the right of $z = 2.50$.
25. The lifespan of a certain brand of smartwatches is normally distributed with a mean of 38 months and a standard deviation of 5 months. Find the probability that a randomly selected smartwatch will last between 40 months and 45 months.
26. The weights of apples harvested from a large orchard are normally distributed with a mean of 200 grams and a standard deviation of 25 grams.
A gourmet food store only buys the apples that are in the heaviest 10% of the harvest. What is the minimum weight (in grams) an apple must have to be purchased by the store?